

# APPLIQUE À VOLET PIVOTANT PLIÉ

*Charlotte Perriand*


Wall lamps with aluminium adjustable diffuser “volet” and metal structure.

Structure painted in white, diffuser “volet” in natural anodized aluminium, black anodized aluminium or mirror polished stainless steel.

For the small versions E14 and LED versions, the “volet” could be painted in red, yellow or blue.

E14 version is equipped with integrated switch (on board), cable and plug for a simple and free installation.

Indirect light output towards the wall and orientable flood beam.



# E14 LED/HALO/FLUO

## LAMPING

Source	E14
Total power	2x40W
Emission	indirect orientable
Switching	dimmable according to bulb
Tension	230V
Materials	aluminium
Notes	indirect orientable, bulb Ø3cm max
Net lamp weight	1,25 kg

## Codes

AVP EWD 32

AVP EWN 32

## Structure/Diffuser

white/aluminium natural anodized


white/black

## PACKAGE

Package 01

Dimension: 23x37x10 cm / Gross weight: 1,75 kg

## Certificazioni



# R7S HALO

## LAMPING

Source	R7s (75mm)
Total power	2x80W
Emission	indirect orientable
Switching	dimnable
Tension	230V
Materials	aluminium
Notes	indirect orientable
Net lamp weight	1,35 kg

## Codes

AVP HWD 32  
AVP HWN 32

## Structure/Diffuser

white/aluminium natural anodized  
white/black


## PACKAGE

Package 01

Dimension: 25x36x14 cm / Gross weight: 1,85 kg

## Certificazioni

0,2 m



## LED

### LAMPING

Source	LED board
Total power	20W
Emission	indirect orientable
Switching	not dimmable
Tension	110/230V
Color temperature	3000K
Luminous flux	826lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium
Notes	indirect orientable, red RAL 3002, yellow RAL 1033, blue RAL 5002
Net lamp weight	1,25 kg

### Codes

AVP LWD 32  
AVP LWN 32  
AVP LWW 32  
AVP LWR 32  
AVP LWG 32  
AVP LWB 32

### Structure/Diffuser

white/aluminium natural anodized  
white/black  
white/white  
white/red  
white/yellow  
white/blue

### PACKAGE

Package 01 Dimension: 23x37x10 cm / Gross weight: 1,75 kg

### Certificazioni

