

FLACA

Roberto Paoli

Wall lamp, double output for a flood uplight and downlight. Die-casted aluminum, with opal metacrylate lower diffuser and transparent upper diffuser. Structure painted in matt white, moka, champagne or anthracite. Dimmable TRIAC and 1-10V.



LED TRIAC

LAMPING

Source	2xLED board
Total power	24W
Emission	up + down
Switching	dimnable TRIAC
Tension	230V
Color temperature	3000K
Luminous flux	1570lm + 790lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + methacrylate
Notes	anthracite RAL7016, champagne RAL9007
Net lamp weight	2 kg

Codes

FLA LWW 33
FLA LXW 33
FLA LBW 33
FLA LDW 33

Structure


white
anthracite
moka
champagne

PACKAGE

Package 01

Dimension: 20x11x40 cm / Gross weight: 2,5 kg

Certificazioni



LED 1-10V

LAMPING

Source	2xLED board
Total power	24W
Emission	up + down
Switching	dimmable 1-10V
Tension	120/240V
Color temperature	3000K
Luminous flux	1570lm + 790lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + methacrylate
Notes	anthracite RAL7016, champagne RAL9007
Net lamp weight	2 kg

Codes

FLA LWW 32
FLA LXW 32
FLA LBW 32
FLA LDW 32

Structure

white
anthracite
moka
champagne

PACKAGE

Package 01

Dimension: 20x11x40 cm / Gross weight: 2,5 kg

Certificazioni

